

## T 293 Class Association



The following Changes have been approved to be effective on the 20 November 2012:

### Current Rule:

#### C.1.1 RULES

The following ERS shall not apply: B9 Setting, sheeting and changing **sails**.

### Amended Rule:

#### C.1.1 RULES

The following ERS shall not apply: C.3.3 Certificate.

### Current Rule:

#### C.3.2 a) **Optional**

In addition to food and personal effects to keep warm and/or dry, and/or to protect the body, the following may be carried on board:

- i) A Harness
- ii) In alteration to RRS 1.2 buoyancy vest or jacket is optional (which may be described as mandatory in the Sailing Instructions). If personal buoyancy is prescribed, every competitor shall wear a personal flotation device that shall conform to the minimum standard of ISO 12402-5 (Level 50). Alternative or additional standards may be prescribed in the Notice of Race or Sailing Instructions.
- iii) A container for holding beverages in accordance with RRS Appendix B 2.1(b).
- iv) An electronic or mechanical timing device
- v) A heart rate monitoring device.

### Amended Rule:

#### C.3.2 SAFETY AND LIFE-SAVING EQUIPMENT

In alteration to RRS 1.2 the following provision is made: Competitors are not obliged to carry personal life saving equipment (flotation devices) on board

unless RRS40 applies, in which case the **personal flotation devices** shall be worn. If used, the **personal flotation device** shall conform to the minimum standards of ISO 12402-5. Alternative or additional standards may be prescribed in the Notice of Race.

#### C.3.3 a) **Optional**

In addition to food and personal effects to keep warm and/or dry, and/or to protect the body, the following may be carried on board:

- i) A Harness
- ii) A container for holding beverages in accordance with RRS Appendix **B 4 43 (a)**.
- iii) An electronic or mechanical timing device
- iv) A heart rate monitoring device.

#### **Current Rule:**

##### C.8.1 LIMITATIONS

- (a) During an event a maximum of two **masts** and two **booms** shall be used, except when an item has been lost or accidentally damaged beyond repair. Such item may be only replaced with the same type of item and with the approval of the Race Committee.
- (b) The 460 OD **mast** may be used with both the 6.8 OD **sail** and the 7.8 OD **sail**.

#### **Amended Rule:**

##### C.8.1 LIMITATIONS

- (a) During an event a maximum of two **masts** and two **booms** shall be used, except when an item has been lost or accidentally damaged beyond repair. Such item may only be replaced with the same type of item and with the approval of the Race Committee.
- (b) The 460 OD **mast** and the 490 OD **mast** may be used with both the 6.8 OD **sail** and the 7.8 OD **sail**.
- (c) The 430 OD **mast** may be used with both 5.8OD **sail** and the 6.8 OD **sail**.
- (d) The 185-235 and the 205-255OD **boom** may be used with both the 5.8 OD **sail** and the 6.8 OD **sail**.

**Current rule:**

None

**Amended Rule:**

**F.1 Parts**

- (a) 430 One Design Mast
- (b) 460 One Design Mast
- (c) 490 One Design Mast
- (d) 185 – 235 One Design Boom
- (e) 205 – 255 One Design Boom